



COPY OF PAPERS  
ORIGINALLY FILED





FIG. 1

RECEIVED  
AUG -5 2002  
TECHNOLOGY CENTER 2800



Docket No. C01104/70073  
 Applicant: Frederick M. Morgan, et al.  
 Serial No. 09/675,419  
 Filed: September 29, 2000  
 For: Systems and Methods for Calibrating Light Output by Light-Emitting Diodes

COPY OF PAPERS  
 ORIGINALLY FILED






FIG. 2

RECEIVED  
 AUG - 5 2002  
 TECHNOLOGY CENTER 2800




Docket No. C0110470073  
Applicant: Frederick M. Morgan, et al.  
Serial No. 09/675,419  
Filed: September 29, 2000  
For: Systems and Methods for Calibrating Light Output by Light-Emitting Diodes

COPY OF PAPERS  
ORIGINALLY FILED



BEFORE CALIBRATION COLOR  
PEAKS CAN RANGE WIDELY

**FIG. 3A**




AFTER CALIBRATION COLOR PEAKS  
CAN BE SCALED APPROPRIATELY

**FIG. 3B**

RECEIVED  
AUG -5 2002  
TECHNOLOGY CENTER 2800

Docket No. CO1104/70073  
Applicant: Frederick M. Morgan, et al.  
Serial No. 09/675,419  
Filed: September 29, 2000  
For: Systems and Methods for Calibrating Light Output by Light-Emitting Diodes



COPY OF PAPERS  
ORIGINALLY FILED





FIG. 4

RECEIVED  
AUG - 5 2002  
TECHNOLOGY CENTER 2800



COPY OF PAPERS  
ORIGINALLY FILED




FIG. 5

RECEIVED  
AUG -5 2002  
TECHNOLOGY CENTER 2800




FIG. 6

RECEIVED  
AUG -5 2002  
TECHNOLOGY CENTER 2800